

There is a Better way

Area Light Accessories

Controls

EL-MS-ACC-SL-Photocell 120-277V

PHOTOCELL CONTROL

Available in 120-277VAC and 480VAC.
Emium's standard mounts have knockouts for customers to easily mount a photocell to almost any application.

EL-MS-BRI823

MOTION SENSOR CONTROL

Bi-level microwave motion sensor and photocell combination.

EL-MS-ACC-BLCS04-XXX

BACKLIGHT CONTROL SHIELD

Backlight Control Shield allows to block light from displaying in unwanted directions (e.g., apartment complex)
Replace "XXX" with wattage of desired fixture.

Mounting

EL-MS-ACC-SPAL04DA



SLIPFITTER

Aluminum mast arm adapter secures fixture head to nominal 2-3/8" O.D. horizontal steel tenon arm.
*Compatible with Emium's tenon adapters. **Standard***

EL-MS-ACC-SQAL04DA



SQUARE/ROUND POLE

(4" and 5" Square and Round poles)
Standard versatile mounting arm is simple to install and can be used with existing poles for retrofit installations
Standard

EL-MS-ACC-WMAL04DA



WALL MOUNT

Wall Mount is easy to install for direct wall mounting with 1/2" conduit wiring or standard J-box mounting




EL-MS-ACC-YKFD07DA



YOKE MOUNT

Die-cast aluminum trunnion is easily adapted to many surfaces and allows easy fixture aiming angles.

Mounting Dimensions





EMIUM LIGHTING, SEE DIFFERENTLY

Area Light Accessories

Pole & Tenon Adapters

Pole Bracket - For mounting one fixture to an existing pole

EL-MS-ACC-4SQ-SP-D



4" SQUARE POLE MOUNT WITH 2-3/8" O.D. TENON

Finish: Dark Bronze

For use with square, non-tapered steel and aluminum poles. Furnished with four 5/16" hex head stainless-steel bolts. Vertical tenon measures 2-3/8" O.D., and is made of steel tubing. Fixtures mounted to this bracket can be adjusted both vertically and horizontally.

EL-MS-ACC-4SQR-SP-D




4" ROUND POLE MOUNT WITH 2-3/8" O.D. TENON

Finish: Dark Bronze

For use with Round, non-tapered steel and aluminum poles. Furnished with three 3/8" hex head stainless-steel bolts. Vertical tenon measures 2-3/8" O.D., and is made of steel tubing. Fixtures mounted to this bracket can be adjusted both vertically and horizontally.

EL-MS-ACC-5SQ-SP-D



5" SQUARE POLE MOUNT WITH 2-3/8" O.D. TENON

Finish: Dark Bronze

For use with square, non-tapered steel and aluminum poles. Furnished with four 5/16" hex head stainless-steel bolts. Vertical tenon measures 2-3/8" O.D., and is made of steel tubing. Fixtures mounted to this bracket can be adjusted both vertically and horizontally.

EL-MS-ACC-5SQR-SP-D



5" ROUND POLE MOUNT WITH 2-3/8" O.D. TENON


Finish: Dark Bronze

For use with Round, non-tapered steel and aluminum poles. Furnished with three 3/8" hex head stainless-steel bolts. Vertical tenon measures 2-3/8" O.D., and is made of steel tubing. Fixtures mounted to this bracket can be adjusted both vertically and horizontally.

Wall Bracket

Attaches to any flat surface while providing wiring access

EL-MS-ACC-WM-SP-D



90° WALL MOUNT BRACKET WITH 2-3/8" O.D. TENON


Finish: Dark Bronze

The 90° wall mount bracket with 2-3/8" tenon attaches an MESTER floodlight to almost any surface: wall, roof, or wood pole. Provides wiring access and a built-in 2-3/8" O.D. tenon to mount a fixture with our adjustable slipfitter. Suggested 3/8" diameter bolts for mounting. Mounting holes are spaced 3-1/4" apart.

Mid-Pole Tenon Bracket

Attaches a single unit to the middle of a square pole

EL-MS-ACC-SQ-SP-D



2-3/8" OD HORIZONTAL TENON MID-POLE BRACKET

Finish: Dark Bronze

2-3/8" OD Horizontal Tenon Mid-Pole Bracket is designed to mount light fixture that is equipped with a adjustable slipfitter onto a 2-3/8" OD horizontal tenon



EMIUM LIGHTING, SEE DIFFERENTLY

Area Light Accessories

Pole & Tenon Adapters

Round External Mount Horizontal Adapter - To mount up to 4 fixtures on an existing pole

EL-MS-ACC-R60-SP2-90-D



**DOUBLE 90° HORIZONTAL
TENON ADAPTOR**

Finish: Dark Bronze

The Bracket is designed to mount over 2-3/8" (60mm) O.D. vertical tenon. Two fixtures can be mounted to the Round External Mount Horizontal Tenon and adjusted horizontally

EL-MS-ACC-R60-SP3-120-D



**TRIPLE 120° HORIZONTAL
TENON ADAPTOR**

Finish: Dark Bronze

The Bracket is designed to mount over 2-3/8" (60mm) O.D. vertical tenon. Three fixtures can be mounted to the Round External Mount Horizontal Tenon and adjusted horizontally

EL-MS-ACC-R60-SP2-180-D




**DOUBLE 180° HORIZONTAL
TENON ADAPTOR**

Finish: Dark Bronze

The Bracket is designed to mount over 2-3/8" (60mm) O.D. vertical tenon. Two fixtures can be mounted to the Round External Mount Horizontal Tenon and adjusted horizontally

EL-MS-ACC-R60-SP4-90-D




**QUAD 90° HORIZONTAL TENON
ADAPTOR**

Finish: Dark Bronze

The Bracket is designed to mount over 2-3/8" (60mm) O.D. vertical tenon. Four fixtures can be mounted to the Round External Mount Horizontal Tenon and adjusted horizontally

EL-MS-ACC-R60-SP3-90-D



**TRIPLE 90° HORIZONTAL TENON
ADAPTOR**

Finish: Dark Bronze

The Bracket is designed to mount over 2-3/8" (60mm) O.D. vertical tenon. Three fixtures can be mounted to the Round External Mount Horizontal Tenon and adjusted horizontally

**Pole Bracket is required in conjunction with
Round External Mount Horizontal Adapter.**