




**emium**<sup>™</sup>  
*emium lighting, see differently*

# HAZARDOUS LOCATIONS LIGHT SPECIFICATION



**C Series**






Safe.  
Reliable.  
Efficient.

## Applications

This luminaire can be used as flood light, wall pack and area light which can provide general illumination in hazardous locations, such as:

- Oil Refineries & Fuel Depots
- Marine Vessels
- Chemical Production & Processing
- Grain Processing
- Mines
- Distilleries
- Other high humidity, high temperature, dusty locations

## Professional Light Distribution



## Typical model specification

Product Number	Wattage	CCT	Voltage	Lumens	Working Hours	CRI
EL-HZ-60W CYZDA	60	4000K-5700K	AC100-277V or AC200-480V	8400	5 years	70
EL-HZ-80W CYZDA	80	4000K-5700K	AC100-277V or AC200-480V	11200	5 years	70
EL-HZ-100W CYZDA	100	4000K-5700K	AC100-277V or AC200-480V	14000	5 years	70
EL-HZ-150W CYZDA	150	4000K-5700K	AC100-277V or AC200-480V	21000	5 years	70

"Y"=**D** or **N**:Dimmable or non-dimmable

"D"=**Beam angle**: 40°, 60°, 90°, 120°

"Z"=**Color temperature**:4000K-5700K

"A"=**C** or **Blank**":Long glass cover or non long glass cover


## Features

- High efficacy: up to 140lm/W
- CRI>70
- Surface mounting and pendant installation
- Wide and narrow optics for uniform illumination
- Copper free aluminum
- High vibration resistance


## Mechanical information

	Size (in)
AC100-277V models	∅16×13.4/26.9
AC200-480V models	∅16×13.4/26.9

## Structure diagram



## Mounting methods



## Warranty

5 year product warranty from the date of purchase:

- Invoice or shipment bill is required to claim the warranty.
- The warranty policy only requires manufacturer to repair the defective product or send substitute for replacement.
- Installation labor, electricity cost and other related cost will not be covered by the manufacturer warranty policy.
- Warranty doesn't cover the defect caused by inappropriate use, especially if directions of the instructions for use are not observed, normal abrasion as well as failures which affect the value or use of the product insignificantly.