

There is a Better Way

### **LED Downlight**

Standard Series



# WHY UPGRADE WITH EMIUM'S INTERIOR DOWNLIGHTS?

Designed and built for commercial use to facilitate a smooth, cost effective transition into the cutting-edge performance and quality of LED lighting.

Emium LED downlights provide a clean and modern look with a baffled trim for recessed applications.

Fixtures are equipped for use in new construction, remodels, or for easily retrofitting older lighting technology.

Available in a variety of sizes, lumen output levels, and colors to suit any application. Wide beam angle insures uniform illumination.

#### **FEATURES**

- Reduce energy consumption and operating costs by 80% or more
- Maintenance free operation lasts up to 10 to 20 times longer than conventional lighting
- Cool beam No UV or IR, reduces air conditioning
- Environmentally friendly fully recyclable, no mercury or other hazardous material
- Estimated 50,000 hour LED Lifespan

#### **Recommended Use:**

- Commercial buildings
- Hotels
- Offices
- Retail Stores
- Plazas



There is a Better Way

### **LED Downlight**

Standard Series

### **Adjustable Fixtures**





#### 10/15/22 watts

Field Selectable

- Fits 5-6" opening
- 110-277VAC
- 900/1350/1950lm
- CCT Adjustable: 3000K/4000K/5000K
- Not Dimmable

D846





#### 7/10/13 watts

Field Selectabl

- Fits 4" opening
- 120-277VAC
- 600lms/850lms/1050lms
- 2700K/3000K/4000K/5000K/5700K
- 0-10V Dimming

D84/





#### 12/20/30 watts

Field Selectable

- Fits 8" opening
- 110-277VAC
- 1050/1650/2300lm
- CCT Adjustable: 3000K/4000K/5000K
- Not Dimmable

D848





#### 20/30/40 watts

Field Selectable

- Fits 10" opening
- 110-277VAC
- 1600lms/2400lms/3000lms
- 2700K/3000K/4000K/5000K/5700K
- 0-10V Dimming

D84









There is a Better Way

## **LED Downlight**

**Standard Series** 





#### 30 watts

- Fits 8" opening
- 120-277VAC
- 83lm/w
- 4000K
- 1-10V Dimming

D528 4000K





#### 12 watts

- Fits 5-6" opening
- 120-277VAC
- 80lm/w 3000K, 4000K, or 5000K
- 1-10V Dimming

D636 4000k





